

Amarr Carriage Court CC4000

Steel Overlay Carriage House Garage Doors







Distinctly defined. The Amarr Carriage Court collection adds increased curb appeal to your home with 18 highly defined carriage house garage door designs. Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.

LAURELBAY (LB)*



CLOSED SQUARE (LB104)



CLOSED ARCH (LB105)





CLEAR SQUARE (LB115) CLEAR ARCH (LB114)





3 LITE SQUARE (LB106) 3 LITE ARCH (LB110)





6 LITE SQUARE (LB112) 6 LITE ARCH (LB108)







PINETOP (PT)



CLOSED SQUARE (PT104)





CLOSED SQUARE (PT104)

CLOSED ARCH (PT105)



CLEAR SQUARE (PT115)





3 LITE SQUARE (PT106)



6 LITE SQUARE (PT112)












CONSTRUCTION



Four-Layer: Overlay + Steel + Insulation + Steel


- 2" thick door with polystyrene insulation and steel interior
- Built with 1-3/8" steel section and 5/8" composite overlay trim

OVERLAY TRIM



- 5/8" thick composite overlay trim of reclaimed wood fiber and thermoplastic polymer
- Square edge design
- Sustainable, green building material
- · Resists rot, decay, and fungal growth
- · Won't flake, blister, peel, pit or corrode

BRADBERRY (BB)



CLOSED SQUARE (BB104)



CLOSED ARCH (BB105)





3 LITE ARCH (BB110)

6 LITE ARCH (BB108)

4 LITE ARCH (BB111)

8 LITE ARCH (BB109)

CLEAR SQUARE (BB115)



3 LITE SQUARE (BB106)



6 LITE SQUARE (BB112)



4 LITE SQUARE (BB107)



8 LITE SQUARE (BB113)





CLOSED SQUARE (KT104)



CLOSED SQUARE (KT104)



CLOSED ARCH (KT105)



CLEAR SQUARE (KT115)



3 LITE SOLIARE (KT104)



6 LITE ARCH (KT108)

4 LITE ARCH (KT111)

SENS SHEET

8 LITE ARCH (KT109)





4 LITE SQUARE (KT107)



8 LITE SQUARE (KT113)

SEABROOK (SB)



CLOSED SQUARE (SB104)



CLOSED SQUARE (SB104)





CLEAR SQUARE (SB115)



3 LITE SQUARE (SB106)



6 LITE SQUARE (SB112)



4 LITE SQUARE (SB107)



8 LITE SQUARE (SB113)





CLEAR ARCH (SB114)



3 LITE ARCH (SB110)



6 LITE ARCH (SB108)



4 LITE ARCH (SB111)



ROSEMONT (RM)



CLOSED SQUARE (RM104)



CLOSED ARCH (RM105)



CLEAR SQUARE (RM115)









6 LITE SQUARE (RM112)



4 LITE SQUARE (RM107)





8 LITE SQUARE (RM113)



WINDOWS



- Large rectangular or arched window designs in 24" top sections
- 5/8" thick decorative window grilles with square edges
- Available in Clear, Obscure‡ or Insulated‡ glass

 $C\ 0\ L\ 0\ R\ S \qquad \text{Actual paint colors may vary from samples shown}.$









SANDTONE / WHITE (S1)

ASHLEY (AL)*



CLOSED SQUARE (AL104)



CHARLTON (CT)*



CLOSED SQUARE (CT104)



FAIRFIELD (FF)





MIDDLETON (MT)



CLOSED SQUARE (MT104)



GREENBRIAR (GB)*



CLOSED SQUARE (GB104)



CLOSED ARCH (GB105)

DARBY (DB)



CLOSED SQUARE (DB104)






NEWBERRY (NB)



CLOSED SQUARE (NB104)




TANGLEWOOD (TW)



CLOSED SQUARE (TW104)



ARCADIA (AR)†



CLOSED SQUARE (AR104)

RAVENWOOD (RW) +



BROOKLAND (BL) †



CLOSED SQUARE (BL104)

MAGNOLIA (MG)†



CLOSED SQUARE (MG104)

*Available in 6' width (no window options).

†Closed Square only.

DECORATIVE HARDWARE









11" L-HINGE WITH CLAVOS



8' 9' & 10' WIDE

12', 14' & 15' WIDE

15'6" 15'8" 16' & 18' WIDE



*Available in Ashley, Charlton, Greenbriar and Laurelbay (no window options)







 $^\dagger \text{Rosemont not available in 8'3", 8'9", 9'3" and 9'9"; Tanglewood not available in 6'3" and 7'3" door heights.}$

DOOR CONFIGURATIONS

			DESIGNS AVAILABLE WITH WINDOWS					DESIGNS NOT AVAILABLE WITH WINDOWS				
			BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT [†] & SEABROOK					ARCADIA, ASHLEY, BROOKLAND, CHARLTON, DARBY, FAIRFIELD, GREENBRIER, MAGNOLIA, MIDDLETON, NEWBERRY, RAVENWOOD & TANGLEWOOD‡				
			SECTION HEIGHTS (IN INCHES)				SECTION HEIGHTS (IN INCHES)					
DOOR HEIGHT	INCHES	# 0F SECTIONS	TOP SECTION	INTER SECTION	INTER SECTION	INTER SECTION	BOTTOM SECTION	TOP SECTION	INTER SECTION	INTER SECTION	INTER SECTION	BOTTOM SECTION
6'6"	78	4	24	18	18		18	18	18	18		24
6'9"	81	4	24	18	21		18	18	21	18		24
7'	84	4	24	18	24		18	18	24	18		24
7'3"	87	4	24	21	21		21	21	21	21		24
7'6"	90	4	24	24	18		24	24	18	24		24
7'9"	93	4	24	24	21		24	24	21	24		24
8'	96	4	24	24	24		24	24	24	24		24
8'3"*	99	5	24	18	18	18	21	21	18	18	18	24
8'6"*	102	5	24	18	21	21	18	21	18	21	18	24
8'9"*	105	5	24	21	18	18	24	24	21	18	18	24
9'*	108	5	24	24	18	18	24	24	24	18	18	24
9'3"*	111	5	24	21	21	21	24	24	21	24	18	24
9'6"*	114	5	24	24	21	21	24	24	24	24	18	24
9'9"*	117	5	24	24	21	24	24	24	24	24	21	24
10'*	120	5	24	24	24	24	24	24	24	24	24	24

[&]quot;Height not available in widths greater than 16"

‡Not available in 6'3" and 7'3" door heights

SPECIFICATIONS

PANEL DESIGNS	CARRIAGE COURT CC4000			
Carriage House	18 Designs			
INSULATION ¹	Polystyrene			
R-VALUE ²	6.48			
ENERGY EFFICIENCY	Superior			
QUIET OPERATION	Extra Quiet			
DOOR THICKNESS	2"			
WINDOW GLASS OPTIONS				
DSB Glass	•			
Obscure Glass	•			
Insulated Glass	•			
WIND LOAD ³ AVAILABLE	•			
PAINT FINISH WARRANTY ⁴	Lifetime			
WORKMANSHIP/HARDWARE WARRANTY ⁴	5 Years			
WINDOW/OVERLAY DISCOLORATION4	10 Years			
OVERLAY DELAMINATION ⁴	5 Years			

self-ignition, flamespread and smoke developed index fire testing.

PAINT FINISH

LIMITED WARRANTY WINDOW/OVERLAY DISCOLORATION

LIMITED WARRANTY WORKMANSHIP & HARDWARE

LIMITED WARRANTY

OVERLAY DELAMINATION

LIMITED WARRANTY

YOUR LOCAL AMARR DEALER:

Amarr Company

165 Carriage Court Winston-Salem, NC 27105 800.503.DOOR www.amarr.com

Door specifications and technical data subject to change without notice.

Sectional door products from Amarr Company may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.





Amarr as word and logo are registered trademarks belonging to Amarr Company, owned by ASSA ABLOY. ©ASSA ABLOY Printed in USA Form #6461022/PDF

^{*}Not available in 8'3", 8'9", 9'3" and 9'9" door heights

² Calculated door section R-value is in accordance with DASMA TDS-163.

make sure your garage door meets local building codes.

visit amarr.com or contact your local Amarr dealer.